

There were issues affecting this run of Lighthouse:

- Chrome extensions negatively affected this page's load performance. Try auditing the page in incognito mode or from a Chrome profile without extensions.



Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)

▲ 0–49 50–89 90–100



METRICS

Expand view

First Contentful Paint

2.4 s

Largest Contentful Paint

3.5 s

▲ Total Blocking Time

2,240 ms

Cumulative Layout Shift

0

Speed Index

3.5 s



Show audits relevant to: All [FCP](#) [LCP](#) [TBT](#) [CLS](#)

INSIGHTS

▲ Use efficient cache lifetimes — Est savings of 1,273 KiB

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching.](#) [FCP](#) [LCP](#) [Unscored](#)

Request	Cache TTL	Transfer Size
tropik.ba 1st Party		1,273 KiB
...js/sr7.js?ver=6.7.28 (tropik.ba)	None	85 KiB
...02/035..._12345.jpg (tropik.ba)	None	79 KiB
...02/385..._9872.jpg (tropik.ba)	None	74 KiB
...libs/tptools.js?ver=6.7.28 (tropik.ba)	None	70 KiB
...02/tropik_logo.jpg (tropik.ba)	None	68 KiB
...02/355..._9849.jpg (tropik.ba)	None	59 KiB
...02/082..._13513.jpg (tropik.ba)	None	54 KiB

Request	Cache TTL	Transfer Size
...02/355..._13036.jpg (tropik.ba)	None	52 KiB
...02/355..._13042.jpg (tropik.ba)	None	49 KiB
...02/355..._9850.jpg (tropik.ba)	None	46 KiB
...02/081..._12410.jpg (tropik.ba)	None	45 KiB
...02/355..._13051.jpg (tropik.ba)	None	41 KiB
...02/355..._12952.jpg (tropik.ba)	None	40 KiB
...02/355..._13050.jpg (tropik.ba)	None	36 KiB
...02/355..._13041.jpg (tropik.ba)	None	36 KiB
...02/355..._13035.jpg (tropik.ba)	None	35 KiB
...css/dashicons.min.css?ver=7.0 (tropik.ba)	None	34 KiB
...02/385..._9873.jpg (tropik.ba)	None	33 KiB
...02/385..._9874.jpg (tropik.ba)	None	32 KiB
...jquery/jquery.min.js?ver=3.7.1 (tropik.ba)	None	29 KiB
...libs/swiper.min.js?ver=7.4.3 (tropik.ba)	None	25 KiB
...block-library/style.min.css?ver=7.0 (tropik.ba)	None	16 KiB
...libs/photoswipe-bundle.min.js?ver=7.4.3 (tropik.ba)	None	13 KiB
...02/385..._9873-300x300.jpg (tropik.ba)	None	12 KiB
...fonts/woodmart-font-1-400.woff2?v=7.4.3 (tropik.ba)	None	11 KiB
...02/385..._9874-300x300.jpg (tropik.ba)	None	10 KiB
...parts/base.min.css?ver=7.4.3 (tropik.ba)	None	10 KiB
...libs/tooltips.min.js?ver=7.4.3 (tropik.ba)	None	10 KiB
...js/underscore.min.js?ver=1.13.8 (tropik.ba)	None	7 KiB
...libs/magnific-popup.min.js?ver=7.4.3 (tropik.ba)	None	7 KiB
...css/frontend.min.css?ver=4.1.1 (tropik.ba)	None	7 KiB
...jquery/jquery-migrate.min.js?ver=3.4.1 (tropik.ba)	None	5 KiB
...sourcebuster/sourcebuster.min.js?ver=10.8.1 (tropik.ba)	None	5 KiB
...js/index.js?ver=6.1.6 (tropik.ba)	None	4 KiB
...frontend/add-to-cart-variation.min.js?ver=10.8.1 (tropik.ba)	None	4 KiB
...css/admin-bar.min.css?ver=7.0 (tropik.ba)	None	4 KiB
...js/index.js?ver=6.1.6 (tropik.ba)	None	3 KiB
...jquery-blockui/jquery.blockUI.min.js?ver=2.7.0-wc.10.8.1 (tropik.ba)	None	3 KiB
...libs/pjax.min.js?ver=7.4.3 (tropik.ba)	None	3 KiB
...images/wood-logo-dark.svg (tropik.ba)	None	3 KiB
...wc/swatchesVariations.min.js?ver=7.4.3 (tropik.ba)	None	3 KiB
...frontend/single-product.min.js?ver=10.8.1 (tropik.ba)	None	3 KiB
...parts/header-base.min.css?ver=7.4.3 (tropik.ba)	None	3 KiB
...blocks/wc-blocks.css?ver=wc-10.8.1 (tropik.ba)	None	2 KiB
...global/helpers.min.js?ver=7.4.3 (tropik.ba)	None	2 KiB
...dist/i18n.min.js?ver=781d115... (tropik.ba)	None	2 KiB
...wc/wishlist.min.js?ver=7.4.3 (tropik.ba)	None	2 KiB
...parts/wp-gutenberg.min.css?ver=7.4.3 (tropik.ba)	None	2 KiB
...css/roboto.css?ver=174... (tropik.ba)	None	2 KiB
...global/swiperInit.min.js?ver=7.4.3 (tropik.ba)	None	2 KiB
...dist/hooks.min.js?ver=7496969... (tropik.ba)	None	2 KiB
...parts/lib-photoswipe.min.css?ver=7.4.3 (tropik.ba)	None	2 KiB
...js/imagesloaded.min.js?ver=5.0.0 (tropik.ba)	None	2 KiB

Request	Cache TTL	Transfer Size
...wc/productIm....min.js?ver=7.4.3 (tropik.ba)	None	2 KiB
...parts/woo-product-loop-base.min.css?ver=7.4.3 (tropik.ba)	None	2 KiB
...parts/woocommerce-base.min.css?ver=7.4.3 (tropik.ba)	None	2 KiB
...wc/woodmartCompare.min.js?ver=7.4.3 (tropik.ba)	None	2 KiB
...parts/woo-product-loop.min.css?ver=7.4.3 (tropik.ba)	None	2 KiB
...parts/woo-gutenberg.min.css?ver=7.4.3 (tropik.ba)	None	2 KiB
...frontend/woocommerce.min.js?ver=10.8.1 (tropik.ba)	None	2 KiB
...menu/mobileNavigation.min.js?ver=7.4.3 (tropik.ba)	None	1 KiB
...css/sr7.css?ver=6.7.28 (tropik.ba)	None	1 KiB
...frontend/add-to-cart.min.js?ver=10.8.1 (tropik.ba)	None	1 KiB
...parts/woo-widget-shopping-cart.min.css?ver=7.4.3 (tropik.ba)	None	1 KiB
...parts/woo-single-prod-el-gallery.min.css?ver=7.4.3 (tropik.ba)	None	1 KiB
...libs/device.min.js?ver=7.4.3 (tropik.ba)	None	1 KiB
...parts/el-social-icons.min.css?ver=7.4.3 (tropik.ba)	None	1 KiB
...parts/el-tabs.min.css?ver=7.4.3 (tropik.ba)	None	1 KiB
...zoom/jquery.zoom.min.js?ver=1.7.21-wc.10.8.1 (tropik.ba)	None	1 KiB
...parts/int-elem-base.min.css?ver=7.4.3 (tropik.ba)	None	1 KiB
...parts/header-el-search-fullscreen-1.min.css?ver=7.4.3 (tropik.ba)	None	1 KiB
...frontend/order-attribution.min.js?ver=10.8.1 (tropik.ba)	None	1 KiB
...frontend/cart-fragments.min.js?ver=10.8.1 (tropik.ba)	None	1 KiB
...wc/ajaxFilters.min.js?ver=7.4.3 (tropik.ba)	None	1 KiB
...wc/productHover.min.js?ver=7.4.3 (tropik.ba)	None	1 KiB
...parts/lib-magnific-popup.min.css?ver=7.4.3 (tropik.ba)	None	1 KiB
...css/bootstrap-light.min.css?ver=7.4.3 (tropik.ba)	None	1 KiB
...menu/menuOffsets.min.js?ver=7.4.3 (tropik.ba)	None	1 KiB
...header/headerBuilder.min.js?ver=7.4.3 (tropik.ba)	None	1 KiB
...parts/mod-tools.min.css?ver=7.4.3 (tropik.ba)	None	1 KiB
...global/searchFullScreen.min.js?ver=7.4.3 (tropik.ba)	None	1 KiB
...global/btnsToolTips.min.js?ver=7.4.3 (tropik.ba)	None	1 KiB
...elements/accordion.min.js?ver=7.4.3 (tropik.ba)	None	1 KiB
...parts/header-el-base.min.css?ver=7.4.3 (tropik.ba)	None	1 KiB
...wc/addToCartAllTypes.min.js?ver=7.4.3 (tropik.ba)	None	1 KiB
...js-cookie/js.cookie.min.js?ver=2.1.4-wc.10.8.1 (tropik.ba)	None	1 KiB
...parts/el-accordion.min.css?ver=7.4.3 (tropik.ba)	None	1 KiB
...wc/quickView.min.js?ver=7.4.3 (tropik.ba)	None	1 KiB
...parts/woo-single-prod-predefined.min.css?ver=7.4.3 (tropik.ba)	None	1 KiB
...parts/lib-swiper-arrows.min.css?ver=7.4.3 (tropik.ba)	None	1 KiB
...wc/actionAft....min.js?ver=7.4.3 (tropik.ba)	None	1 KiB
...css/robotoslab.css?ver=174... (tropik.ba)	None	1 KiB
...js/wp-util.min.js?ver=7.0 (tropik.ba)	None	1 KiB
...parts/header-el-search-fullscreen-general.min.css?ver=7.4.3 (tropik.ba)	None	1 KiB
...parts/mod-nav-vertical.min.css?ver=7.4.3 (tropik.ba)	None	1 KiB
...parts/header-el-category-nav.min.css?ver=7.4.3 (tropik.ba)	None	1 KiB
...parts/opt-bottom-toolbar.min.css?ver=7.4.3 (tropik.ba)	None	1 KiB
...parts/woo-mod-block-notices.min.css?ver=7.4.3 (tropik.ba)	None	1 KiB
...parts/woo-mod-login-form.min.css?ver=7.4.3 (tropik.ba)	None	1 KiB

Request	Cache TTL	Transfer Size
...02/xts-default_header-176....css?ver=7.4.3 (tropik.ba)	None	1 KiB
...parts/header-el-cart.min.css?ver=7.4.3 (tropik.ba)	None	1 KiB
...wc/productImages.min.js?ver=7.4.3 (tropik.ba)	None	1 KiB
...wc/sortByWidget.min.js?ver=7.4.3 (tropik.ba)	None	1 KiB
...wc/updateCar....js?ver=7.4.3 (tropik.ba)	None	1 KiB
...wc/quickShop.min.js?ver=7.4.3 (tropik.ba)	None	1 KiB
...wc/woocommer....min.js?ver=7.4.3 (tropik.ba)	None	1 KiB
...wc/headerCat....min.js?ver=7.4.3 (tropik.ba)	None	1 KiB
...global/callPhotoSwipe.min.js?ver=7.4.3 (tropik.ba)	None	1 KiB
...parts/lib-swiper.min.css?ver=7.4.3 (tropik.ba)	None	1 KiB
...menu/menuSetUp.min.js?ver=7.4.3 (tropik.ba)	None	1 KiB
...css/wpmenucart-main.min.css?ver=2.14.12 (tropik.ba)	None	1 KiB
...parts/opt-scrolltotop.min.css?ver=7.4.3 (tropik.ba)	None	1 KiB
...parts/opt-widget-collapse.min.css?ver=7.4.3 (tropik.ba)	None	1 KiB
...parts/woo-single-prod-el-gallery-opt-thumb-left-desktop....css?... (tropik.ba)	None	1 KiB
...parts/woo-mod-add-btn-replace.min.css?ver=7.4.3 (tropik.ba)	None	1 KiB
...parts/wd-search-form.min.css?ver=7.4.3 (tropik.ba)	None	1 KiB
...parts/header-el-search.min.css?ver=7.4.3 (tropik.ba)	None	1 KiB
...wc/initZoom.min.js?ver=7.4.3 (tropik.ba)	None	1 KiB
...parts/woo-single-prod-el-tabs-predefined.min.css?ver=7.4.3 (tropik.ba)	None	1 KiB
...wc/productMo....min.js?ver=7.4.3 (tropik.ba)	None	1 KiB
...wc/loginSidebar.min.js?ver=7.4.3 (tropik.ba)	None	1 KiB
...parts/woo-single-prod-and-quick-view-predefined.min.css?ver=... (tropik.ba)	None	1 KiB
...js/wpmenucart.min.js?ver=2.14.12 (tropik.ba)	None	1 KiB
...wc/cartWidget.min.js?ver=7.4.3 (tropik.ba)	None	1 KiB
...wc/singlePro....min.js?ver=7.4.3 (tropik.ba)	None	1 KiB
...parts/woo-single-prod-el-base.min.css?ver=7.4.3 (tropik.ba)	None	1 KiB
...parts/woo-widget-product-list.min.css?ver=7.4.3 (tropik.ba)	None	1 KiB
...parts/header-el-cart-side.min.css?ver=7.4.3 (tropik.ba)	None	1 KiB
...parts/int-wpcf7.min.css?ver=7.4.3 (tropik.ba)	None	1 KiB
...parts/woo-mod-shop-attributes.min.css?ver=7.4.3 (tropik.ba)	None	1 KiB
...parts/woo-mod-quantity.min.css?ver=7.4.3 (tropik.ba)	None	1 KiB
...parts/lib-swiper-pagin.min.css?ver=7.4.3 (tropik.ba)	None	1 KiB
...parts/opt-sticky-social.min.css?ver=7.4.3 (tropik.ba)	None	1 KiB
...parts/mod-more-description.min.css?ver=7.4.3 (tropik.ba)	None	1 KiB
...parts/header-el-my-account-sidebar.min.css?ver=7.4.3 (tropik.ba)	None	1 KiB
...parts/int-rev-slider.min.css?ver=7.4.3 (tropik.ba)	None	1 KiB
...global/backHistory.min.js?ver=7.4.3 (tropik.ba)	None	1 KiB
...global/widgetCollapse.min.js?ver=7.4.3 (tropik.ba)	None	1 KiB
...header/mobileSearchIcon.min.js?ver=7.4.3 (tropik.ba)	None	1 KiB
...global/clickOnSc....min.js?ver=7.4.3 (tropik.ba)	None	1 KiB
...wc/woocommerceNotices.min.js?ver=7.4.3 (tropik.ba)	None	1 KiB
...parts/footer-base.min.css?ver=7.4.3 (tropik.ba)	None	1 KiB
...parts/mod-star-rating.min.css?ver=7.4.3 (tropik.ba)	None	1 KiB
...parts/woo-mod-stock-status.min.css?ver=7.4.3 (tropik.ba)	None	0 KiB
...parts/woo-el-track-order.min.css?ver=7.4.3 (tropik.ba)	None	0 KiB

Request	Cache TTL	Transfer Size
...css/media-views.min.css?ver=1.7.2 (tropik.ba)	None	0 KiB
...css/wpmenucart-icons.min.css?ver=2.14.12 (tropik.ba)	None	0 KiB
...wc/shopPagelnit.min.js?ver=7.4.3 (tropik.ba)	None	0 KiB
...css/post-5.css?ver=178... (tropik.ba)	None	0 KiB
...wc/onRemoveFromCart.min.js?ver=7.4.3 (tropik.ba)	None	0 KiB
...parts/woo-single-prod-el-tabs-opt-layout-tabs.min.css?ver=7.4.3 (tropik.ba)	None	0 KiB
...global/scrollTop.min.js?ver=7.4.3 (tropik.ba)	None	0 KiB
...global/scrollBar.min.js?ver=7.4.3 (tropik.ba)	None	0 KiB
...parts/header-el-search-form.min.css?ver=7.4.3 (tropik.ba)	None	0 KiB
...parts/header-el-my-account.min.css?ver=7.4.3 (tropik.ba)	None	0 KiB
...parts/mod-nav-vertical-design-default.min.css?ver=7.4.3 (tropik.ba)	None	0 KiB
...global/stickySoc....min.js?ver=7.4.3 (tropik.ba)	None	0 KiB
...parts/header-el-mobile-nav-dropdown.min.css?ver=7.4.3 (tropik.ba)	None	0 KiB

▲ Render-blocking requests — Est savings of 840 ms

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](#) can move these network requests out of the critical path. FCP LCP Unscored

☒ Show 3rd-party resources (1)







URL	Transfer Size	Duration
tropik.ba 1st Party	161.2 KiB	1,350 ms
...parts/opt-scrolltotop.min.css?ver=7.4.3 (tropik.ba)	0.6 KiB	
...parts/lib-swiper-pagin.min.css?ver=7.4.3 (tropik.ba)	0.5 KiB	
...parts/footer-base.min.css?ver=7.4.3 (tropik.ba)	0.5 KiB	
...02/xts-default_header-176....css?ver=7.4.3 (tropik.ba)	0.7 KiB	
...parts/header-el-search-fullscreen-1.min.css?ver=7.4.3 (tropik.ba)	1.2 KiB	
...global/scrollBar.min.js?ver=7.4.3 (tropik.ba)	0.4 KiB	
...parts/lib-magnific-popup.min.css?ver=7.4.3 (tropik.ba)	1.0 KiB	
...css/roboto.css?ver=174... (tropik.ba)	2.0 KiB	
...parts/int-elem-base.min.css?ver=7.4.3 (tropik.ba)	1.2 KiB	
...parts/mod-tools.min.css?ver=7.4.3 (tropik.ba)	1.0 KiB	
...parts/mod-more-description.min.css?ver=7.4.3 (tropik.ba)	0.5 KiB	
...parts/opt-sticky-social.min.css?ver=7.4.3 (tropik.ba)	0.5 KiB	
...parts/woo-mod-block-notices.min.css?ver=7.4.3 (tropik.ba)	0.7 KiB	
...parts/opt-widget-collapse.min.css?ver=7.4.3 (tropik.ba)	0.6 KiB	
...parts/woo-mod-stock-status.min.css?ver=7.4.3 (tropik.ba)	0.5 KiB	
...parts/lib-photoswipe.min.css?ver=7.4.3 (tropik.ba)	1.8 KiB	
...parts/woo-product-loop.min.css?ver=7.4.3 (tropik.ba)	1.7 KiB	
...parts/woo-mod-add-btn-replace.min.css?ver=7.4.3 (tropik.ba)	0.6 KiB	
...parts/header-el-cart-side.min.css?ver=7.4.3 (tropik.ba)	0.6 KiB	
...libs/device.min.js?ver=7.4.3 (tropik.ba)	1.3 KiB	
...parts/el-tabs.min.css?ver=7.4.3 (tropik.ba)	1.2 KiB	
...parts/el-accordion.min.css?ver=7.4.3 (tropik.ba)	0.9 KiB	
...parts/woo-single-prod-el-tabs-opt-layout-tabs.min.css?ver=7.4.3 (tropik.ba)	0.4 KiB	
...jquery/jquery-migrate.min.js?ver=3.4.1 (tropik.ba)	4.7 KiB	150 ms
...jquery/jquery.min.js?ver=3.7.1 (tropik.ba)	29.1 KiB	

URL	Transfer Size	Duration
...parts/opt-bottom-toolbar.min.css?ver=7.4.3 (tropik.ba)	0.7 KiB	150 ms
...parts/wd-search-form.min.css?ver=7.4.3 (tropik.ba)	0.6 KiB	
...css/bootstrap-light.min.css?ver=7.4.3 (tropik.ba)	1.0 KiB	
...parts/woo-widget-product-list.min.css?ver=7.4.3 (tropik.ba)	0.6 KiB	
...parts/header-el-my-account.min.css?ver=7.4.3 (tropik.ba)	0.4 KiB	
...parts/el-social-icons.min.css?ver=7.4.3 (tropik.ba)	1.3 KiB	
...css/robotoslab.css?ver=174... (tropik.ba)	0.8 KiB	
...parts/header-el-cart.min.css?ver=7.4.3 (tropik.ba)	0.7 KiB	
...parts/lib-swiper-arrows.min.css?ver=7.4.3 (tropik.ba)	0.9 KiB	
...css/wpmenucart-icons.min.css?ver=2.14.12 (tropik.ba)	0.5 KiB	
...parts/wp-gutenberg.min.css?ver=7.4.3 (tropik.ba)	2.0 KiB	150 ms
...parts/woo-product-loop-base.min.css?ver=7.4.3 (tropik.ba)	1.8 KiB	
...parts/woo-mod-shop-attributes.min.css?ver=7.4.3 (tropik.ba)	0.6 KiB	
...parts/mod-nav-vertical-design-default.min.css?ver=7.4.3 (tropik.ba)	0.4 KiB	
...parts/header-el-search-fullscreen-general.min.css?ver=7.4.3 (tropik.ba)	0.8 KiB	
...parts/woo-single-prod-el-tabs-predefined.min.css?ver=7.4.3 (tropik.ba)	0.6 KiB	
...parts/woo-widget-shopping-cart.min.css?ver=7.4.3 (tropik.ba)	1.4 KiB	
...parts/header-el-search.min.css?ver=7.4.3 (tropik.ba)	0.6 KiB	
...parts/woo-single-prod-el-gallery.min.css?ver=7.4.3 (tropik.ba)	1.3 KiB	
...parts/header-el-mobile-nav-dropdown.min.css?ver=7.4.3 (tropik.ba)	0.3 KiB	
...parts/woo-single-prod-and-quick-view-predefined.min.css?ver=... (tropik.ba)	0.6 KiB	150 ms
...parts/header-el-my-account-sidebar.min.css?ver=7.4.3 (tropik.ba)	0.5 KiB	
...parts/mod-star-rating.min.css?ver=7.4.3 (tropik.ba)	0.5 KiB	
...parts/woocommerce-base.min.css?ver=7.4.3 (tropik.ba)	1.7 KiB	
...parts/header-el-base.min.css?ver=7.4.3 (tropik.ba)	0.9 KiB	
...parts/lib-swiper.min.css?ver=7.4.3 (tropik.ba)	0.6 KiB	
...parts/int-wpcf7.min.css?ver=7.4.3 (tropik.ba)	0.6 KiB	
...parts/header-el-category-nav.min.css?ver=7.4.3 (tropik.ba)	0.8 KiB	
...parts/header-el-search-form.min.css?ver=7.4.3 (tropik.ba)	0.4 KiB	
...parts/header-base.min.css?ver=7.4.3 (tropik.ba)	2.6 KiB	
...parts/woo-single-prod-el-base.min.css?ver=7.4.3 (tropik.ba)	0.6 KiB	150 ms
...parts/woo-mod-quantity.min.css?ver=7.4.3 (tropik.ba)	0.6 KiB	
...parts/woo-mod-login-form.min.css?ver=7.4.3 (tropik.ba)	0.7 KiB	
...parts/int-rev-slider.min.css?ver=7.4.3 (tropik.ba)	0.5 KiB	
...parts/woo-single-prod-predefined.min.css?ver=7.4.3 (tropik.ba)	0.9 KiB	
...css/admin-bar.min.css?ver=7.0 (tropik.ba)	3.7 KiB	
...parts/woo-el-track-order.min.css?ver=7.4.3 (tropik.ba)	0.5 KiB	
...parts/woo-single-prod-el-gallery-opt-thumb-left-desktop.....css?... (tropik.ba)	0.6 KiB	
...parts/mod-nav-vertical.min.css?ver=7.4.3 (tropik.ba)	0.8 KiB	
...parts/woo-gutenberg.min.css?ver=7.4.3 (tropik.ba)	1.7 KiB	
...parts/base.min.css?ver=7.4.3 (tropik.ba)	10.1 KiB	150 ms
...css/sr7.css?ver=6.7.28 (tropik.ba)	1.4 KiB	150 ms
...css/post-5.css?ver=178... (tropik.ba)	0.5 KiB	150 ms
...css/frontend.min.css?ver=4.1.1 (tropik.ba)	6.6 KiB	
...css/wpmenucart-main.min.css?ver=2.14.12 (tropik.ba)	0.6 KiB	
...css/media-views.min.css?ver=1.7.2 (tropik.ba)	0.5 KiB	

URL	Transfer Size	Duration
...css/dashicons.min.css?ver=7.0 (tropik.ba)	34.5 KiB	300 ms
...block-library/style.min.css?ver=7.0 (tropik.ba)	15.6 KiB	
Google Fonts Cdn	1.1 KiB	790 ms
/css?family=Lato:400,700%7CPoppins:400,600,500&ver=7.4.3 (fonts.googleapis.com)	1.1 KiB	790 ms

▲ Improve image delivery — Est savings of 319 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](#) FCP LCP Unscored

URL	Resource Size	Est Savings
tropik.ba 1st Party	455.3 KiB	318.5 KiB
 img.attachment-woocommerce_thumbnail.size-woocommerce_thumbnail	...02/035..._12345.jpg (tropik.ba)	78.9 KiB 66.3 KiB
 img.attachment-woocommerce_thumbnail.size-woocommerce_thumbnail	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size. This image file is larger than it needs to be (600x600) for its displayed dimensions (279x279). Use responsive images to reduce the image download size.	20.4 KiB 61.9 KiB
 img.attachment-woocommerce_thumbnail.size-woocommerce_thumbnail	...02/355..._9849.jpg (tropik.ba)	58.3 KiB 45.7 KiB
 img.attachment-woocommerce_thumbnail.size-woocommerce_thumbnail	This image file is larger than it needs to be (600x600) for its displayed dimensions (279x279). Use responsive images to reduce the image download size. ...02/082..._13513.jpg (tropik.ba)	53.5 KiB 41.9 KiB
 img.attachment-woocommerce_thumbnail.size-woocommerce_thumbnail	This image file is larger than it needs to be (600x600) for its displayed dimensions (279x279). Use responsive images to reduce the image download size. ...02/081..._12410.jpg (tropik.ba)	44.9 KiB 35.2 KiB
 img.attachment-woocommerce_thumbnail.size-woocommerce_thumbnail	This image file is larger than it needs to be (600x600) for its displayed dimensions (279x279). Use responsive images to reduce the image download size. ...02/355..._12952.jpg (tropik.ba)	39.7 KiB 31.1 KiB
 img.attachment-woocommerce_thumbnail.size-woocommerce_thumbnail	This image file is larger than it needs to be (600x600) for its displayed dimensions (279x279). Use responsive images to reduce the image download size. ...02/355..._13050.jpg (tropik.ba)	36.2 KiB 28.4 KiB
 img.attachment-woocommerce_thumbnail.size-woocommerce_thumbnail	This image file is larger than it needs to be (600x600) for its displayed dimensions (279x279). Use responsive images to reduce the image download size. ...02/355..._13041.jpg (tropik.ba)	35.5 KiB 27.8 KiB

	URL	Resource Size	Est Savings
	This image file is larger than it needs to be (600x600) for its displayed dimensions (279x279). Use responsive images to reduce the image download size.		27.8 KiB
img.attachment-woocommerce_thumbnail.size-woocommerce_thumbnail	...02/355..._13035.jpg (tropik.ba)	34.8 KiB	27.3 KiB
	This image file is larger than it needs to be (600x600) for its displayed dimensions (279x279). Use responsive images to reduce the image download size.		27.3 KiB
 img.zoomImg	...02/385..._9872.jpg (tropik.ba)	73.3 KiB	14.8 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		14.8 KiB

▲ Font display — Est savings of 60 ms ^

Consider setting [font-display](#) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](#). FCP Unscored

☒ Show 3rd-party resources (7)

URL	Est Savings
Google Fonts Cdn	
...v25/S6u9w4BMU....woff2 (fonts.gstatic.com)	60 ms
...v24/pxiByp8kv....woff2 (fonts.gstatic.com)	50 ms
...v25/S6uyw4BMU....woff2 (fonts.gstatic.com)	40 ms
...v24/pxiByp8kv....woff2 (fonts.gstatic.com)	40 ms
...v25/S6uyw4BMU....woff2 (fonts.gstatic.com)	30 ms
...v24/pxiByp8kv....woff2 (fonts.gstatic.com)	30 ms
...v25/S6u9w4BMU....woff2 (fonts.gstatic.com)	20 ms
tropik.ba 1st Party	
...fonts/woodmart-font-1-400.woff2?v=7.4.3 (tropik.ba)	50 ms

▲ Forced reflow ^

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](#) and possible mitigations. Unscored

Top function call

Total reflow time

scrollBar.min.js?ver=7.4.3:2	252 ms
------------------------------	--------

Source

Total reflow time

scrollBar.min.js?ver=7.4.3:1	252 ms
[unattributed]	0 ms
tptools.js?ver=6.7.28:97	20 ms
jquery.min.js?ver=3.7.1:2	2 ms
jquery.min.js?ver=3.7.1:2	1 ms
jquery.min.js?ver=3.7.1:2	1 ms
jquery.min.js?ver=3.7.1:2	1 ms
jquery.min.js?ver=3.7.1:2	12 ms
jquery.min.js?ver=3.7.1:2	1 ms

Source	Total reflow time
swiper.min.js?ver=7.4.3:1	6 ms
swiper.min.js?ver=7.4.3:1	9 ms
swiper.min.js?ver=7.4.3:1	1 ms
productImagesGallery.min.js?ver=7.4.3:1	7 ms
swiper.min.js?ver=7.4.3:1	0 ms
swiper.min.js?ver=7.4.3:1	4 ms

▲ Network dependency tree

[Avoid chaining critical requests](#) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. LCP Unscored

Maximum critical path latency: **1,247 ms**

Initial Navigation

/trgovina/ja-sam-alias/ (tropik.ba) - **549 ms**, 26.70 KiB

...global/stickySoc....min.js?ver=7.4.3 (tropik.ba) - **1,247 ms**, 0.36 KiB

...global/searchFullScreen.min.js?ver=7.4.3 (tropik.ba) - **1,235 ms**, 0.99 KiB

...wc/cartWidget.min.js?ver=7.4.3 (tropik.ba) - **1,188 ms**, 0.59 KiB

...menu/mobileNavigation.min.js?ver=7.4.3 (tropik.ba) - **1,187 ms**, 1.45 KiB

...global/widgetCollapse.min.js?ver=7.4.3 (tropik.ba) - **1,172 ms**, 0.51 KiB

...global/scrollTop.min.js?ver=7.4.3 (tropik.ba) - **1,171 ms**, 0.44 KiB

...wc/quickView.min.js?ver=7.4.3 (tropik.ba) - **1,171 ms**, 0.88 KiB

...libs/tooltips.min.js?ver=7.4.3 (tropik.ba) - **1,171 ms**, 9.70 KiB

...libs/magnific-popup.min.js?ver=7.4.3 (tropik.ba) - **1,155 ms**, 7.15 KiB

...wc/productMo....min.js?ver=7.4.3 (tropik.ba) - **1,081 ms**, 0.61 KiB

...global/btnsToolTips.min.js?ver=7.4.3 (tropik.ba) - **1,081 ms**, 0.96 KiB

...wc/productHover.min.js?ver=7.4.3 (tropik.ba) - **1,080 ms**, 1.04 KiB

...js/wp-util.min.js?ver=7.0 (tropik.ba) - **1,065 ms**, 0.83 KiB

...wc/swatchesVariations.min.js?ver=7.4.3 (tropik.ba) - **1,065 ms**, 2.99 KiB

...js/underscore.min.js?ver=1.13.8 (tropik.ba) - **1,064 ms**, 7.20 KiB

...wc/quickShop.min.js?ver=7.4.3 (tropik.ba) - **1,050 ms**, 0.68 KiB

...elements/accordion.min.js?ver=7.4.3 (tropik.ba) - **1,050 ms**, 0.95 KiB

...wc/singlePro....min.js?ver=7.4.3 (tropik.ba) - **1,045 ms**, 0.58 KiB

...wc/wishlist.min.js?ver=7.4.3 (tropik.ba) - **1,044 ms**, 2.02 KiB

...wc/woocommer....min.js?ver=7.4.3 (tropik.ba) - **1,033 ms**, 0.67 KiB

...wc/woodmartCompare.min.js?ver=7.4.3 (tropik.ba) - **1,033 ms**, 1.69 KiB

...wc/actionAft....min.js?ver=7.4.3 (tropik.ba) - **1,030 ms**, 0.85 KiB

...wc/addToCartAllTypes.min.js?ver=7.4.3 (tropik.ba) - **1,029 ms**, 0.92 KiB

...global/callPhotoSwipe.min.js?ver=7.4.3 (tropik.ba) - **1,028 ms**, 0.67 KiB

...wc/productImages.min.js?ver=7.4.3 (tropik.ba) - **1,027 ms**, 0.69 KiB

...libs/photoswipe-bundle.min.js?ver=7.4.3 (tropik.ba) - **1,026 ms**, 13.48 KiB

...js/imagesloaded.min.js?ver=5.0.0 (tropik.ba) - **1,024 ms**, 1.80 KiB

...wc/productIm....min.js?ver=7.4.3 (tropik.ba) - **1,023 ms**, 1.79 KiB

...global/swiperInit.min.js?ver=7.4.3 (tropik.ba) - **1,022 ms**, 1.93 KiB

...libs/swiper.min.js?ver=7.4.3 (tropik.ba) - **1,020 ms**, 25.50 KiB

...wc/initZoom.min.js?ver=7.4.3 (tropik.ba) - **1,005 ms**, 0.62 KiB

...header/mobileSearchIcon.min.js?ver=7.4.3 (tropik.ba) - **1,004 ms**, 0.51 KiB

...wc/loginSidebar.min.js?ver=7.4.3 (tropik.ba) - **1,002 ms**, 0.61 KiB

...wc/onRemoveFromCart.min.js?ver=7.4.3 (tropik.ba) - **959 ms**, 0.45 KiB

...menu/menuSetUp.min.js?ver=7.4.3 (tropik.ba) - **958 ms**, 0.64 KiB

...menu/menuOffsets.min.js?ver=7.4.3 (tropik.ba) - **958 ms**, 1.01 KiB

/css?family=Lato:400,700%7CPoppins:400,600,500&ver=7.4.3 (fonts.googleapis.com) - **572 ms**, 1.06 KiB

...v25/S6u9w4BMU....woff2 (fonts.gstatic.com) - **957 ms**, 2.98 KiB

...v25/S6u9w4BMU....woff2 (fonts.gstatic.com) - **955 ms**, 13.86 KiB

...v24/pxiByp8kv....woff2 (fonts.gstatic.com) - **954 ms**, 5.39 KiB

...v25/S6uyw4BMU....woff2 (fonts.gstatic.com) - **953 ms**, 13.68 KiB

...v24/pxiByp8kv....woff2 (fonts.gstatic.com) - **952 ms**, 7.58 KiB

...v25/S6uyw4BMU....woff2 (fonts.gstatic.com) - **952 ms**, 2.94 KiB

...v24/pxiByp8kv....woff2 (fonts.gstatic.com) - **951 ms**, 7.83 KiB

...fonts/woodmart-font-1-400.woff2?v=7.4.3 (tropik.ba) - **955 ms**, 10.61 KiB

...wc/headerCat....min.js?ver=7.4.3 (tropik.ba) - **913 ms**, 0.67 KiB

...header/headerBuilder.min.js?ver=7.4.3 (tropik.ba) - **908 ms**, 1.01 KiB

...global/backHistory.min.js?ver=7.4.3 (tropik.ba) - **908 ms**, 0.51 KiB

...global/clickOnSc....min.js?ver=7.4.3 (tropik.ba) - **907 ms**, 0.51 KiB

...wc/shopPagelnit.min.js?ver=7.4.3 (tropik.ba) - **907 ms**, 0.47 KiB

...wc/sortByWidget.min.js?ver=7.4.3 (tropik.ba) - **907 ms**, 0.69 KiB

...wc/ajaxFilters.min.js?ver=7.4.3 (tropik.ba) - **906 ms**, 1.05 KiB

...wc/woocommerceNotices.min.js?ver=7.4.3 (tropik.ba) - **906 ms**, 0.50 KiB

...global/helpers.min.js?ver=7.4.3 (tropik.ba) - **905 ms**, 2.45 KiB

...libs/pjax.min.js?ver=7.4.3 (tropik.ba) - **904 ms**, 3.23 KiB

...frontend/order-attribution.min.js?ver=10.8.1 (tropik.ba) - **904 ms**, 1.15 KiB

...sourcebuster/sourcebuster.min.js?ver=10.8.1 (tropik.ba) - **904 ms**, 4.65 KiB

...js/index.js?ver=6.1.6 (tropik.ba) - **904 ms**, 4.06 KiB

...js/index.js?ver=6.1.6 (tropik.ba) - **903 ms**, 3.44 KiB

...dist/i18n.min.js?ver=781d115... (tropik.ba) - **903 ms**, 2.43 KiB

...dist/hooks.min.js?ver=7496969... (tropik.ba) - **901 ms**, 1.83 KiB

...wc/updateCar....js?ver=7.4.3 (tropik.ba) - **901 ms**, 0.68 KiB

...js/wpmenucart.min.js?ver=2.14.12 (tropik.ba) - **900 ms**, 0.59 KiB

...blocks/wc-blocks.css?ver=wc-10.8.1 (tropik.ba) - **859 ms**, 2.48 KiB

...global/scrollBar.min.js?ver=7.4.3 (tropik.ba) - **677 ms**, 0.44 KiB

...parts/opt-scrolltotop.min.css?ver=7.4.3 (tropik.ba) - **677 ms**, 0.63 KiB

...02/xts-default_header-176....css?ver=7.4.3 (tropik.ba) - **677 ms**, 0.71 KiB

...parts/footer-base.min.css?ver=7.4.3 (tropik.ba) - **677 ms**, 0.50 KiB

...parts/lib-swiper-pagin.min.css?ver=7.4.3 (tropik.ba) - **677 ms**, 0.54 KiB

...parts/header-el-search-fullscreen-1.min.css?ver=7.4.3 (tropik.ba) - **676 ms**, 1.15 KiB

...parts/lib-magnific-popup.min.css?ver=7.4.3 (tropik.ba) - **673 ms**, 1.04 KiB

...css/roboto.css?ver=174... (tropik.ba) - **673 ms**, 1.98 KiB

...parts/opt-sticky-social.min.css?ver=7.4.3 (tropik.ba) - **671 ms**, 0.54 KiB

...libs/device.min.js?ver=7.4.3 (tropik.ba) - **671 ms**, 1.28 KiB

...parts/mod-more-description.min.css?ver=7.4.3 (tropik.ba) - **671 ms**, 0.54 KiB

...parts/opt-widget-collapse.min.css?ver=7.4.3 (tropik.ba) - **670 ms**, 0.63 KiB

...parts/lib-photoswipe.min.css?ver=7.4.3 (tropik.ba) - **668 ms**, 1.81 KiB

...parts/woo-product-loop.min.css?ver=7.4.3 (tropik.ba) - **668 ms**, 1.69 KiB

...parts/woo-mod-add-btn-replace.min.css?ver=7.4.3 (tropik.ba) - **668 ms**, 0.62 KiB

...jquery/jquery-migrate.min.js?ver=3.4.1 (tropik.ba) - **668 ms**, 4.72 KiB

...jquery/jquery.min.js?ver=3.7.1 (tropik.ba) - **668 ms**, 29.08 KiB

...parts/mod-tools.min.css?ver=7.4.3 (tropik.ba) - **667 ms**, 0.99 KiB

...parts/el-accordion.min.css?ver=7.4.3 (tropik.ba) - **667 ms**, 0.88 KiB

...parts/el-tabs.min.css?ver=7.4.3 (tropik.ba) - **667 ms**, 1.23 KiB

...parts/woo-single-prod-el-tabs-opt-layout-tabs.min.css?ver=7.4.3 (tropik.ba) - **666 ms**, 0.45 KiB

...parts/int-elem-base.min.css?ver=7.4.3 (tropik.ba) - **666 ms**, 1.17 KiB

...parts/woo-mod-stock-status.min.css?ver=7.4.3 (tropik.ba) - **666 ms**, 0.50 KiB

...parts/opt-bottom-toolbar.min.css?ver=7.4.3 (tropik.ba) - **666 ms**, 0.74 KiB

...parts/woo-mod-block-notices.min.css?ver=7.4.3 (tropik.ba) - **666 ms**, 0.73 KiB

...parts/header-el-cart-side.min.css?ver=7.4.3 (tropik.ba) - **666 ms**, 0.58 KiB

...parts/wd-search-form.min.css?ver=7.4.3 (tropik.ba) - **660 ms**, 0.62 KiB

...css/robotoslab.css?ver=174... (tropik.ba) - **653 ms**, 0.84 KiB

...parts/header-el-my-account.min.css?ver=7.4.3 (tropik.ba) - **653 ms**, 0.42 KiB

...parts/woo-widget-product-list.min.css?ver=7.4.3 (tropik.ba) - **653 ms**, 0.58 KiB

...css/bootstrap-light.min.css?ver=7.4.3 (tropik.ba) - **653 ms**, 1.01 KiB

...parts/el-social-icons.min.css?ver=7.4.3 (tropik.ba) - **653 ms**, 1.25 KiB

...parts/lib-swiper-arrows.min.css?ver=7.4.3 (tropik.ba) - **644 ms**, 0.86 KiB

...parts/header-el-cart.min.css?ver=7.4.3 (tropik.ba) - **644 ms**, 0.71 KiB

...parts/header-el-search-fullscreen-general.min.css?ver=7.4.3 (tropik.ba) - **644 ms**, 0.78 KiB

...parts/woo-product-loop-base.min.css?ver=7.4.3 (tropik.ba) - **643 ms**, 1.78 KiB

...parts/woo-single-prod-el-tabs-predefined.min.css?ver=7.4.3 (tropik.ba) - **641 ms**, 0.61 KiB

...parts/woo-single-prod-el-gallery.min.css?ver=7.4.3 (tropik.ba) - **640 ms**, 1.29 KiB

...parts/mod-nav-vertical-design-default.min.css?ver=7.4.3 (tropik.ba) - **640 ms**, 0.38 KiB

...parts/woo-widget-shopping-cart.min.css?ver=7.4.3 (tropik.ba) - **640 ms**, 1.35 KiB

...parts/woo-mod-shop-attributes.min.css?ver=7.4.3 (tropik.ba) - **640 ms**, 0.56 KiB

...parts/header-el-mobile-nav-dropdown.min.css?ver=7.4.3 (tropik.ba) - **640 ms**, 0.31 KiB

...parts/woo-single-prod-and-quick-view-predefined.min.css?ver=... (tropik.ba) - **639 ms**, 0.60 KiB

...parts/header-el-search.min.css?ver=7.4.3 (tropik.ba) - **639 ms**, 0.62 KiB

...parts/wp-gutenberg.min.css?ver=7.4.3 (tropik.ba) - **639 ms**, 2.01 KiB

...css/wpmenucart-icons.min.css?ver=2.14.12 (tropik.ba) - **639 ms**, 0.47 KiB

...parts/header-el-my-account-sidebar.min.css?ver=7.4.3 (tropik.ba) - **638 ms**, 0.52 KiB

...parts/lib-swiper.min.css?ver=7.4.3 (tropik.ba) - **620 ms**, 0.65 KiB

...parts/mod-star-rating.min.css?ver=7.4.3 (tropik.ba) - **619 ms**, 0.50 KiB

...parts/woocommerce-base.min.css?ver=7.4.3 (tropik.ba) - **619 ms**, 1.72 KiB

...parts/header-el-base.min.css?ver=7.4.3 (tropik.ba) - **618 ms**, 0.94 KiB

...parts/header-el-category-nav.min.css?ver=7.4.3 (tropik.ba) - **593 ms**, 0.77 KiB

...parts/int-wpcf7.min.css?ver=7.4.3 (tropik.ba) - **593 ms**, 0.57 KiB

...parts/header-el-search-form.min.css?ver=7.4.3 (tropik.ba) - **593 ms**, 0.43 KiB

...parts/woo-single-prod-predefined.min.css?ver=7.4.3 (tropik.ba) - **593 ms**, 0.86 KiB

...parts/woo-mod-login-form.min.css?ver=7.4.3 (tropik.ba) - **592 ms**, 0.72 KiB

...parts/woo-single-prod-el-gallery-opt-thumb-left-desktop.....css?... (tropik.ba) - **592 ms**, 0.62 KiB

...parts/header-base.min.css?ver=7.4.3 (tropik.ba) - **592 ms**, 2.59 KiB

...parts/woo-single-prod-el-base.min.css?ver=7.4.3 (tropik.ba) - **591 ms**, 0.58 KiB

...parts/woo-mod-quantity.min.css?ver=7.4.3 (tropik.ba) - **591 ms**, 0.56 KiB

...parts/mod-nav-vertical.min.css?ver=7.4.3 (tropik.ba) - **590 ms**, 0.77 KiB

...parts/int-rev-slider.min.css?ver=7.4.3 (tropik.ba) - **590 ms**, 0.52 KiB

...parts/woo-el-track-order.min.css?ver=7.4.3 (tropik.ba) - **589 ms**, 0.50 KiB

...parts/woo-gutenberg.min.css?ver=7.4.3 (tropik.ba) - **589 ms**, 1.67 KiB

...css/admin-bar.min.css?ver=7.0 (tropik.ba) - **588 ms**, 3.72 KiB

...parts/base.min.css?ver=7.4.3 (tropik.ba) - **587 ms**, 10.09 KiB

...css/sr7.css?ver=6.7.28 (tropik.ba) - **585 ms**, 1.43 KiB

...css/post-5.css?ver=178... (tropik.ba) - **579 ms**, 0.47 KiB

...css/frontend.min.css?ver=4.1.1 (tropik.ba) - **578 ms**, 6.56 KiB

...css/wpmenucart-main.min.css?ver=2.14.12 (tropik.ba) - **574 ms**, 0.64 KiB

...css/media-views.min.css?ver=1.7.2 (tropik.ba) - **574 ms**, 0.47 KiB

...css/dashicons.min.css?ver=7.0 (tropik.ba) - **573 ms**, 34.46 KiB

...block-library/style.min.css?ver=7.0 (tropik.ba) - **559 ms**, 15.57 KiB

Preconnected origins

[preconnect](#) hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the page preconnected to.

Origin	Source
https://fonts.googleapis.com/	link
https://fonts.gstatic.com/	link

Preconnect candidates

Add [preconnect](#) hints to your most important origins, but try to use no more than 4.


No additional origins are good candidates for preconnecting

☐ Optimize DOM size

A large DOM can increase the duration of style calculations and layout reflows, impacting page responsiveness. A large DOM will also increase memory usage. [Learn how to avoid an excessive DOM size.](#) (Unscored)

Statistic	Element
-----------	---------

Total elements	
----------------	--

Statistic	Element
DOM depth	 span.woocommerce-Price-currencySymbol
Most children	 body.wp-singular.product-template-default.single.single-product.postid-53601.wp-theme-woodmart.t...

LCP breakdown

Each [subpart has specific improvement strategies](#). Ideally, most of the LCP time should be spent on loading the resources, not within delays. LCP Unscored

Subpart	Duration
Time to first byte	370 ms
Resource load delay	70 ms
Resource load duration	200 ms
Element render delay	260 ms



img.wp-post-image

3rd parties

3rd party code can significantly impact load performance. [Reduce and defer loading of 3rd party code](#) to prioritize your page's content. Unscored

3rd party	Transfer size	Main thread time
hdokiejnpimakedhajhdcegeplioahd	0 KiB	545 ms
chrome-extension://hdokiejnpimakedhajhdcegeplioahd/web-client-content-script.js	0 KiB	540 ms
chrome-extension://hdokiejnpimakedhajhdcegeplioahd/credentials-library.js	0 KiB	4 ms
chrome-extension://hdokiejnpimakedhajhdcegeplioahd/web-client-credentials-messenger.js	0 KiB	0 ms
aapbdbdomjkkjaonfhkkikfgjllcleb	0 KiB	101 ms
chrome-extension://aapbdbdomjkkjaonfhkkikfgjllcleb/bubble_compiled.js	0 KiB	101 ms
ekhagklcjbdpajgpjgmbionohlpdbjgc	0 KiB	87 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/utilities/xregexp-all.js	0 KiB	16 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/schema.js	0 KiB	15 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/translate/translation/translate.js	0 KiB	8 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/inject/inject.js	0 KiB	5 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/utilities/utilities.js	0 KiB	4 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/proxy.js	0 KiB	3 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/zotero.js	0 KiB	3 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/browser-polyfill.js	0 KiB	2 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/utilities/utilities_item.js	0 KiB	2 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/translate/rdf/identity.js	0 KiB	2 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/translate/rdf/rdfparser.js	0 KiB	2 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/utilities/date.js	0 KiB	2 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/http.js	0 KiB	2 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/inject/pageSaving.js	0 KiB	1 ms

3rd party	Transfer size	Main thread time
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/translate/rdf/term.js	0 KiB	1 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/translate/utilities_translate.js	0 KiB	1 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/itemSaver.js	0 KiB	1 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/api.js	0 KiB	1 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/inject/progressWindow_inject.js	0 KiB	1 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/utilities/openurl.js	0 KiB	1 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/utilities.js	0 KiB	1 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/utilities/resource/zoteroTypeSchemaData.js	0 KiB	1 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/messages.js	0 KiB	1 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/cachedTypes.js	0 KiB	1 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/messagingGeneric.js	0 KiB	1 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/translate/translator.js	0 KiB	1 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/translate/debug.js	0 KiB	1 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/translate/translation/translate_item.js	0 KiB	1 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/integration/connectorIntegration.js	0 KiB	1 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/inject/modalPrompt_inject.js	0 KiB	1 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/singlefile.js	0 KiB	0 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/messaging_inject.js	0 KiB	0 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/utilities/xregexp-unicode-zotero.js	0 KiB	0 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/inject/http.js	0 KiB	0 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/translateWeb.js	0 KiB	0 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/inject/virtualOffscreenTranslate.js	0 KiB	0 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/inject/sandboxManager.js	0 KiB	0 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/translate/rdf/uri.js	0 KiB	0 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/translate/promise.js	0 KiB	0 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/zotero_config.js	0 KiB	0 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/i18n.js	0 KiB	0 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/translate/rdf/init.js	0 KiB	0 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/utilities/schema.js	0 KiB	0 ms
Google Fonts Cdn	55 KiB	0 ms
...v25/S6u9w4BMU....woff2 (fonts.gstatic.com)	14 KiB	0 ms
...v25/S6uyw4BMU....woff2 (fonts.gstatic.com)	14 KiB	0 ms
...v24/pxiByp8kv....woff2 (fonts.gstatic.com)	8 KiB	0 ms
...v24/pxiByp8kv....woff2 (fonts.gstatic.com)	8 KiB	0 ms
...v24/pxiByp8kv....woff2 (fonts.gstatic.com)	5 KiB	0 ms
...v25/S6u9w4BMU....woff2 (fonts.gstatic.com)	3 KiB	0 ms
...v25/S6uyw4BMU....woff2 (fonts.gstatic.com)	3 KiB	0 ms
/css?family=Lato:400,700%7CPoppins:400,600,500&ver=7.4.3 (fonts.googleapis.com)	1 KiB	0 ms

These insights are also available in the Chrome DevTools Performance Panel - [record a trace](#) to view more detailed information.

DIAGNOSTICS

 Minimize main-thread work

— 7.4 s



Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](#) (TBT) (Unscored)

Category	Time Spent
Script Evaluation	2,708 ms
Style & Layout	1,415 ms
Other	1,337 ms
Script Parsing & Compilation	1,328 ms
Parse HTML & CSS	305 ms
Rendering	145 ms
Garbage Collection	137 ms


▲ Reduce JavaScript execution time — 3.7 s

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to reduce Javascript execution time](#) (TBT) (Unscored)

URL	Total CPU Time	Script Evaluation	Script Parse
Unattributable	3,704 ms	1,849 ms	883 ms
chrome-extension://hdokiejnpimakedhajhdcegeplioahd/web-client-content-script.js	2,376 ms	1,721 ms	554 ms
Unattributable	919 ms	56 ms	0 ms
chrome-extension://aapbdbdomjkkjkaonfhkkikfgjllcleb/bubble_compiled.js	409 ms	73 ms	329 ms
tropik.ba 1st Party	3,080 ms	620 ms	323 ms
/trgovina/ja-sam-alias/ (tropik.ba)	1,161 ms	160 ms	287 ms
...global/scrollBar.min.js?ver=7.4.3 (tropik.ba)	1,047 ms	53 ms	0 ms
...jquery/jquery.min.js?ver=3.7.1 (tropik.ba)	362 ms	247 ms	9 ms
...libs/tptools.js?ver=6.7.28 (tropik.ba)	349 ms	95 ms	25 ms
...global/swiperItnit.min.js?ver=7.4.3 (tropik.ba)	98 ms	46 ms	1 ms
...wc/productIm....min.js?ver=7.4.3 (tropik.ba)	64 ms	18 ms	1 ms

Image elements do not have explicit width and height

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](#) (CLS) (Unscored)

URL
tropik.ba 1st Party
img ...images/wood-logo-dark.svg (tropik.ba)

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript](#). FCP LCP Unscored



A number of [WordPress plugins](#) can speed up your site by concatenating, minifying, and compressing your scripts. You may also want to use a build process to do this minification up front if possible.

URL	Transfer Size	Est Savings
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/utilities/xregexp-all.js	74.9 KiB	31.1 KiB
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/translate/translation/translate.js	34.7 KiB	14.4 KiB
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/utilities/utilities.js	18.4 KiB	7.9 KiB
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/browser-polyfill.js	8.5 KiB	5.6 KiB
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/proxy.js	13.2 KiB	5.1 KiB
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/utilities/utilities_item.js	11.2 KiB	4.6 KiB
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/utilities/date.js	8.3 KiB	3.4 KiB
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/translate/rdf/rdfparser.js	6.5 KiB	3.2 KiB
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/http.js	7.3 KiB	3.2 KiB
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/itemSaver.js	7.1 KiB	3.0 KiB
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/translate/rdf/identity.js	6.1 KiB	3.0 KiB
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/inject/pageSaving.js	7.7 KiB	2.9 KiB
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/translate/utilities_translate.js	5.4 KiB	2.6 KiB
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/inject/progressWindow_inject.js	5.0 KiB	2.4 KiB

Reduce unused JavaScript — Est savings of 862 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](#). FCP LCP Unscored



Consider reducing, or switching, the number of [WordPress plugins](#) loading unused JavaScript in your page. To identify plugins that are adding extraneous JS, try running [code coverage](#) in Chrome DevTools. You can identify the theme/plugin responsible from the URL of the script. Look out for plugins that have many scripts in the list which have a lot of red in code coverage. A plugin should only enqueue a script if it is actually used on the page.

URL	Transfer Size	Est Savings
Unattributable	1,796.3 KiB	826.6 KiB
chrome-extension://aapbdbdomjkkjkaonfhkkikfgjllcleb/bubble_compiled.js	737.6 KiB	422.5 KiB
chrome-extension://hdokiejnpimakedhajhdlcegeplioahd/web-client-content-script.js	1,024.1 KiB	378.5 KiB
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/translate/translation/translate.js	34.7 KiB	25.6 KiB
tropik.ba 1st Party	36.5 KiB	35.0 KiB
...js/sr7.js?ver=6.7.28 (tropik.ba)	36.5 KiB	35.0 KiB

○ Avoid long main-thread tasks — 20 long tasks found

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. [Learn how to avoid long](#)

URL	Start Time	Duration
Unattributable		2,773 ms
chrome-extension://hdokiejnpimakedhajhdicegplioahd/web-client-content-script.js	2,105 ms	2,182 ms
chrome-extension://aapbdbdomjkkjkaonfhkkikfgjllcleb/bubble_compiled.js	1,708 ms	397 ms
Unattributable	943 ms	110 ms
chrome-extension://hdokiejnpimakedhajhdicegplioahd/web-client-content-script.js	4,781 ms	84 ms
tropik.ba 1st Party		1,700 ms
/trgovina/ja-sam-alias/ (tropik.ba)	1,199 ms	425 ms
...global/scrollBar.min.js?ver=7.4.3 (tropik.ba)	4,409 ms	238 ms
/trgovina/ja-sam-alias/ (tropik.ba)	1,053 ms	146 ms
...libs/tptools.js?ver=6.7.28 (tropik.ba)	6,204 ms	92 ms
...zoom/jquery.zoom.min.js?ver=1.7.21-wc.10.8.1 (tropik.ba)	6,805 ms	92 ms
/trgovina/ja-sam-alias/ (tropik.ba)	1,624 ms	84 ms
...global/scrollBar.min.js?ver=7.4.3 (tropik.ba)	4,707 ms	74 ms
...jquery/jquery-migrate.min.js?ver=3.4.1 (tropik.ba)	4,339 ms	70 ms
...global/scrollBar.min.js?ver=7.4.3 (tropik.ba)	5,066 ms	67 ms
...jquery/jquery.min.js?ver=3.7.1 (tropik.ba)	9,839 ms	67 ms
...global/scrollBar.min.js?ver=7.4.3 (tropik.ba)	4,647 ms	60 ms
...global/scrollBar.min.js?ver=7.4.3 (tropik.ba)	5,452 ms	59 ms
...global/scrollBar.min.js?ver=7.4.3 (tropik.ba)	5,614 ms	59 ms
...global/scrollBar.min.js?ver=7.4.3 (tropik.ba)	5,673 ms	57 ms
...global/scrollBar.min.js?ver=7.4.3 (tropik.ba)	5,011 ms	55 ms
...global/scrollBar.min.js?ver=7.4.3 (tropik.ba)	5,559 ms	55 ms

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (14) Hide

Layout shift culprits ^

Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts](#), such as elements being added, removed, or their fonts changing as the page loads. CLS Unscored

Document request latency ^

Your first network request is the most important. [Reduce its latency](#), by avoiding redirects, ensuring a fast server response, and enabling text compression. FCP LCP Unscored

Avoids redirects

Server responds quickly (observed 358 ms)

Applies text compression

Duplicated JavaScript

Remove large, [duplicate JavaScript modules](#) from bundles to reduce unnecessary bytes consumed by network activity. (FCP) (LCP) (Unscored)

INP breakdown

Start investigating [how to improve INP](#) by looking at the longest subpart. (Unscored)

LCP request discovery

[Optimize LCP](#) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading (LCP) (Unscored)

fetchpriority=high applied

Request is discoverable in initial document

lazy load not applied



img.wp-post-image

Legacy JavaScript

Polyfills and transforms enable older browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile [Baseline](#) features, unless you know you must support older browsers. [Learn why most sites can deploy ES6+ code without transpiling](#) (FCP) (LCP) (Unscored)

Modern HTTP

HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. [Learn more about using modern HTTP](#). (FCP) (LCP) (Unscored)

Optimize viewport for mobile

Tap interactions may be [delayed by up to 300 ms](#) if the viewport is not optimized for mobile. (Unscored)

meta

Minify CSS

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](#). (FCP) (LCP) (Unscored)



A number of [WordPress plugins](#) can speed up your site by concatenating, minifying, and compressing your styles. You may also want to use a build process to do this minification up-front if possible.

Reduce unused CSS

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](#). (FCP) (LCP) (Unscored)



Consider reducing, or switching, the number of [WordPress plugins](#) loading unused CSS in your page. To identify plugins that are adding extraneous CSS, try running [code coverage](#) in Chrome DevTools. You can identify the theme/plugin responsible from the URL of the stylesheet. Look out for plugins that have many stylesheets in the list which have a lot of red in code coverage. A plugin should only enqueue a stylesheet if it is actually used on the page.

Avoids enormous network payloads — Total size was 1,359 KiB

Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes](#). (Unscored)



Consider showing excerpts in your post lists (e.g. via the more tag), reducing the number of posts shown on a given page, breaking your long posts into multiple pages, or using a plugin to lazy-load comments.

URL	Transfer Size
tropik.ba 1st Party	634.7 KiB
...js/sr7.js?ver=6.7.28 (tropik.ba)	84.6 KiB
...02/035..._12345.jpg (tropik.ba)	79.2 KiB
...02/385..._9872.jpg (tropik.ba)	73.6 KiB
...libs/tpools.js?ver=6.7.28 (tropik.ba)	70.0 KiB
...02/tropik_logo.jpg (tropik.ba)	68.0 KiB
...02/355..._9849.jpg (tropik.ba)	58.6 KiB
...02/082..._13513.jpg (tropik.ba)	53.7 KiB
...02/355..._13036.jpg (tropik.ba)	52.4 KiB
...02/355..._13042.jpg (tropik.ba)	49.0 KiB
...02/355..._9850.jpg (tropik.ba)	45.6 KiB

○ User Timing marks and measures ^

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more about User Timing marks.](#) (Unscored)

○ Avoid non-composited animations ^

Animations which are not composited can be janky and increase CLS. [Learn how to avoid non-composited animations](#) (CLS) (Unscored)

Page didn't prevent back/forward cache restoration ^

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. [Learn more about the bfcache](#) (Unscored)



Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

BEST PRACTICES

▲ [user-scalable="no"] is used in the <meta name="viewport"> element or the [maximum-scale] attribute is less than 5. ^

Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. [Learn more about the viewport meta tag.](#)

Failing Elements

meta

▲ Touch targets do not have sufficient size or spacing. ^

Touch targets with sufficient size and spacing help users who may have difficulty targeting small controls to activate the targets. [Learn more about touch targets.](#)


Failing Elements




a.breadcrumb-link



a.breadcrumb-link




a.breadcrumb-link



a.breadcrumb-link




a.breadcrumb-link



a.breadcrumb-link



a.breadcrumb-link




a.breadcrumb-link




a.breadcrumb-link.breadcrumb-link-last




a.breadcrumb-link.breadcrumb-link-last



a.breadcrumb-link



a




a




a



a





a



a

Failing Elements




a



a



a



a

a

a

Društvene igre

[](https://tropik.ba/kategorija-proizvoda/drustvene-igre/)

Društvene igre

[](https://tropik.ba/kategorija-proizvoda/drustvene-igre/)

a

a

a

a

a

a

a

a

a

a

a

a

a

a

a

a

a

a

a

a

a

a

a

☐ Identical links have the same purpose.



Links with the same destination should have the same description, to help users understand the link's purpose and decide whether to follow it. [Learn more about identical links.](#) (Unscored)

Failing Elements



a



a



a

a

These items highlight common accessibility best practices.

CONTRAST

▲ Background and foreground colors do not have a sufficient contrast ratio.



Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast.](#)


Failing Elements



a.breadcrumb-link



div.main-page-wrapper



a.breadcrumb-link



div.main-page-wrapper



a.breadcrumb-link



div.main-page-wrapper



a.breadcrumb-link



div.main-page-wrapper



bdi



div.main-page-wrapper



span.woocommerce-Price-currencySymbol

Failing Elements




div.main-page-wrapper



p




div.main-page-wrapper



input.minus




div.main-page-wrapper



input#quantity_6a1b55812580a.input-text.qty.text



div.main-page-wrapper




input.plus



div.main-page-wrapper



button.single_add_to_cart_button.button.alt



span.sku



div.main-page-wrapper



a



div.main-page-wrapper



a



div.main-page-wrapper

Failing Elements



a




div.main-page-wrapper



span




div.product-tabs-wrapper



p



div.product-tabs-wrapper



div.wd-product-cats



div.main-page-wrapper



a



div.main-page-wrapper



a



div.main-page-wrapper



a




div.main-page-wrapper



bdi



div.main-page-wrapper



span.woocommerce-Price-currencySymbol

Failing Elements



div.main-page-wrapper



div.wd-product-cats




div.main-page-wrapper



a



div.main-page-wrapper



a



div.main-page-wrapper



a




div.main-page-wrapper



bdi



div.main-page-wrapper



span.woocommerce-Price-currencySymbol



div.main-page-wrapper

div.wd-product-cats

a

a

Društvene igre

[>](https://tropik.ba/kategorija-proizvoda/drustvene-igre/)

bdi

span.woocommerce-Price-currencySymbol

Failing Elements

div.wd-product-cats

a

a

a

bdi

span.woocommerce-Price-currencySymbol

div.wd-product-cats

a

a

a

bdi

span.woocommerce-Price-currencySymbol

a

a

bdi

span.woocommerce-Price-currencySymbol

div.wd-product-cats

a

a

a

bdi

span.woocommerce-Price-currencySymbol

div.wd-product-cats

a

a

a

bdi

span.woocommerce-Price-currencySymbol



footer.footer-container.color-scheme-light

a.btn.btn-size-small.btn-color-primary.wc-backward


NAMES AND LABELS

▲ Links do not have a discernible name ^

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible.](#)

Failing Elements

a


a

a

a

a

a.product-image-link

a.product-image-link

a.product-image-link

a.product-image-link

a.product-image-link

a.product-image-link

a.product-image-link

a.product-image-link

These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

NAVIGATION

▲ Heading elements are not in a sequentially-descending order ^

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order.](#)

Failing Elements

h4.wd-el-title.title.slider-title.element-title

Failing Elements

These are opportunities to improve keyboard navigation in your application.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Hide

- ☐ Interactive controls are keyboard focusable



Custom interactive controls are keyboard focusable and display a focus indicator. [Learn how to make custom controls focusable.](#) (Unscored)

- ☐ Interactive elements indicate their purpose and state



Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. [Learn how to decorate interactive elements with affordance hints.](#) (Unscored)

- ☐ The page has a logical tab order



Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. [Learn more about logical tab ordering.](#) (Unscored)

- ☐ Visual order on the page follows DOM order



DOM order matches the visual order, improving navigation for assistive technology. [Learn more about DOM and visual ordering.](#) (Unscored)

- ☐ User focus is not accidentally trapped in a region



A user can tab into and out of any control or region without accidentally trapping their focus. [Learn how to avoid focus traps.](#) (Unscored)

- ☐ The user's focus is directed to new content added to the page



If new content, such as a dialog, is added to the page, the user's focus is directed to it. [Learn how to direct focus to new content.](#) (Unscored)

- ☐ HTML5 landmark elements are used to improve navigation



Landmark elements (<main>, <nav>, etc.) are used to improve the keyboard navigation of the page for assistive technology. [Learn more about landmark elements.](#) (Unscored)

- ☐ Offscreen content is hidden from assistive technology



Offscreen content is hidden with display: none or aria-hidden=true. [Learn how to properly hide offscreen content.](#) (Unscored)

- ☐ Custom controls have associated labels



Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. [Learn more about custom controls and labels.](#) (Unscored)

- ☐ Custom controls have ARIA roles



Custom interactive controls have appropriate ARIA roles. [Learn how to add roles to custom controls.](#) (Unscored)

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review.](#)

PASSED AUDITS (20)

Hide

[aria-*) attributes match their roles



Each ARIA role supports a specific subset of aria-* attributes. Mismatching these invalidates the aria-* attributes. [Learn how to match ARIA attributes to their roles.](#)

[aria-hidden="true"] is not present on the document <body>



Assistive technologies, like screen readers, work inconsistently when aria-hidden="true" is set on the document <body>. [Learn how aria-hidden affects the document body.](#)

[role]s have all required [aria-*] attributes



Some ARIA roles have required attributes that describe the state of the element to screen readers. [Learn more about roles and required attributes.](#)

[role] values are valid



ARIA roles must have valid values in order to perform their intended accessibility functions. [Learn more about valid ARIA roles.](#)

[aria-*] attributes have valid values



Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. [Learn more about valid values for ARIA attributes.](#)

[aria-*] attributes are valid and not misspelled



Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. [Learn more about valid ARIA attributes.](#)

Buttons have an accessible name



When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible.](#)

Image elements have [alt] attributes



Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute.](#)

Input buttons have discernible text.



Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. [Learn more about input buttons.](#)

Form elements have associated labels



Labels ensure that form controls are announced properly by assistive technologies, like screen readers. [Learn more about form element labels.](#)

ARIA attributes are used as specified for the element's role



Some ARIA attributes are only allowed on an element under certain conditions. [Learn more about conditional ARIA attributes.](#)

Elements use only permitted ARIA attributes



Using ARIA attributes in roles where they are prohibited can mean that important information is not communicated to users of assistive technologies. [Learn more about prohibited ARIA roles.](#)

Document has a <title> element



The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles.](#)

<html> element has a [lang] attribute



If a page doesn't specify a lang attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. [Learn more about the lang attribute.](#)

<html> element has a valid value for its [lang] attribute



Specifying a valid [BCP 47 language](#) helps screen readers announce text properly. [Learn how to use the lang attribute.](#)

Links are distinguishable without relying on color.

Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision. [Learn how to make links distinguishable.](#)

Lists contain only `<li>` elements and script supporting elements (`<script>` and `<template>`).

Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. [Learn more about proper list structure.](#)

List items (`<li>`) are contained within `<ul>`, `<ol>` or `<menu>` parent elements

Screen readers require list items (`<li>`) to be contained within a parent `<ul>`, `<ol>` or `<menu>` to be announced properly. [Learn more about proper list structure.](#)

Document has a main landmark.

One main landmark helps screen reader users navigate a web page. [Learn more about landmarks.](#)

Deprecated ARIA roles were not used

Deprecated ARIA roles may not be processed correctly by assistive technology. [Learn more about deprecated ARIA roles.](#)

NOT APPLICABLE (34)

Hide

☐ `[accesskey]` values are unique

Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. [Learn more about access keys.](#) (Unscored)

☐ `button`, `link`, and `menuitem` elements have accessible names

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to make command elements more accessible.](#) (Unscored)

☐ Elements with `role="dialog"` or `role="alertdialog"` have accessible names.

ARIA dialog elements without accessible names may prevent screen readers users from discerning the purpose of these elements. [Learn how to make ARIA dialog elements more accessible.](#) (Unscored)

☐ `[aria-hidden="true"]` elements do not contain focusable descendents

Focusable descendents within an `[aria-hidden="true"]` element prevent those interactive elements from being available to users of assistive technologies like screen readers. [Learn how aria-hidden affects focusable elements.](#) (Unscored)

☐ ARIA input fields have accessible names

When an input field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about input field labels.](#) (Unscored)

☐ ARIA `meter` elements have accessible names

When a meter element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to name meter elements.](#) (Unscored)

☐ ARIA `progressbar` elements have accessible names

When a progressbar element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to label progressbar elements.](#) (Unscored)

☐ Elements with an ARIA `[role]` that require children to contain a specific `[role]` have all required children.

Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. [Learn more about roles and required children elements.](#) (Unscored)

☐ `[role]`s are contained by their required parent element ^

Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. [Learn more about ARIA roles and required parent element.](#) Unscored

☐ Elements with the `role=text` attribute do not have focusable descendents. ^

Adding `role=text` around a text node split by markup enables VoiceOver to treat it as one phrase, but the element's focusable descendents will not be announced. [Learn more about the `role=text` attribute.](#) Unscored

☐ ARIA toggle fields have accessible names ^

When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about toggle fields.](#) Unscored

☐ ARIA `tooltip` elements have accessible names ^

When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to name tooltip elements.](#) Unscored

☐ ARIA `treeitem` elements have accessible names ^

When a `treeitem` element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about labeling treeitem elements.](#) Unscored

☐ The page contains a heading, skip link, or landmark region ^

Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. [Learn more about bypass blocks.](#) Unscored

☐ `<dl>`'s contain only properly-ordered `<dt>` and `<dd>` groups, `<script>`, `<template>` or `<div>` elements. ^

When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. [Learn how to structure definition lists correctly.](#) Unscored

☐ Definition list items are wrapped in `<dl>` elements ^

Definition list items (`<dt>` and `<dd>`) must be wrapped in a parent `<dl>` element to ensure that screen readers can properly announce them. [Learn how to structure definition lists correctly.](#) Unscored

☐ ARIA IDs are unique ^

The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. [Learn how to fix duplicate ARIA IDs.](#) Unscored

☐ No form fields have multiple labels ^

Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. [Learn how to use form labels.](#) Unscored

☐ `<frame>` or `<iframe>` elements have a title ^

Screen reader users rely on frame titles to describe the contents of frames. [Learn more about frame titles.](#) Unscored

☐ `<html>` element has an `[xml:lang]` attribute with the same base language as the `[lang]` attribute. ^

If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. [Learn more about the `lang` attribute.](#) Unscored

☐ `<input type="image">` elements have `[alt]` text ^

When an image is being used as an `<input>` button, providing alternative text can help screen reader users understand the purpose of the button. [Learn about input image alt text.](#) Unscored

☐ The document does not use `<meta http-equiv="refresh">` ^

Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. [Learn more about the refresh meta tag.](#) (Unscored)

- ☐ `<object>` elements have alternate text

Screen readers cannot translate non-text content. Adding alternate text to `<object>` elements helps screen readers convey meaning to users. [Learn more about alt text for object elements.](#) (Unscored)

- ☐ Select elements have associated label elements.

Form elements without effective labels can create frustrating experiences for screen reader users. [Learn more about the `select` element.](#) (Unscored)

- ☐ Skip links are focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links.](#) (Unscored)

- ☐ No element has a `[tabindex]` value greater than 0

A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. [Learn more about the `tabindex` attribute.](#) (Unscored)

- ☐ Cells in a `<table>` element that use the `[headers]` attribute refer to table cells within the same table.

Screen readers have features to make navigating tables easier. Ensuring `<td>` cells using the `[headers]` attribute only refer to other cells in the same table may improve the experience for screen reader users. [Learn more about the `headers` attribute.](#) (Unscored)

- ☐ `<th>` elements and elements with `[role="columnheader"/"rowheader"]` have data cells they describe.

Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. [Learn more about table headers.](#) (Unscored)

- ☐ `[lang]` attributes have a valid value

Specifying a valid [BCP 47 language](#) on elements helps ensure that text is pronounced correctly by a screen reader. [Learn how to use the `lang` attribute.](#) (Unscored)

- ☐ `<video>` elements contain a `<track>` element with `[kind="captions"]`

When a video provides a caption it is easier for deaf and hearing impaired users to access its information. [Learn more about video captions.](#) (Unscored)

- ☐ Tables have different content in the summary attribute and `<caption>`.

The summary attribute should describe the table structure, while `<caption>` should have the onscreen title. Accurate table mark-up helps users of screen readers. [Learn more about summary and caption.](#) (Unscored)

- ☐ All heading elements contain content.

A heading with no content or inaccessible text prevent screen reader users from accessing information on the page's structure. [Learn more about headings.](#) (Unscored)

- ☐ Uses ARIA roles only on compatible elements

Many HTML elements can only be assigned certain ARIA roles. Using ARIA roles where they are not allowed can interfere with the accessibility of the web page. [Learn more about ARIA roles.](#) (Unscored)

- ☐ Image elements do not have `[alt]` attributes that are redundant text.

Informative elements should aim for short, descriptive alternative text. Alternative text that is exactly the same as the text adjacent to the link or image is potentially confusing for screen reader users, because the text will be read twice. [Learn more about the `alt` attribute.](#) (Unscored)



Best Practices

TRUST AND SAFETY

☐ Ensure CSP is effective against XSS attacks ^

A strong Content Security Policy (CSP) significantly reduces the risk of cross-site scripting (XSS) attacks. [Learn how to use a CSP to prevent XSS](#) (Unscored)

Description	Directive	Severity
No CSP found in enforcement mode		High

☐ Use a strong HSTS policy ^

Deployment of the HSTS header significantly reduces the risk of downgrading HTTP connections and eavesdropping attacks. A rollout in stages, starting with a low max-age is recommended. [Learn more about using a strong HSTS policy](#) (Unscored)

Description	Directive	Severity
No HSTS header found		High

☐ Ensure proper origin isolation with COOP ^

The Cross-Origin-Opener-Policy (COOP) can be used to isolate the top-level window from other documents such as pop-ups. [Learn more about deploying the COOP header](#) (Unscored)

Description	Directive	Severity
No COOP header found		High

☐ Mitigate clickjacking with XFO or CSP ^

The X-Frame-Options (XFO) header or the frame-ancestors directive in the Content-Security-Policy (CSP) header control where a page can be embedded. These can mitigate clickjacking attacks by blocking some or all sites from embedding the page. [Learn more about mitigating clickjacking](#) (Unscored)

Description	Severity
No frame control policy found	High

☐ Mitigate DOM-based XSS with Trusted Types ^

The require-trusted-types-for directive in the Content-Security-Policy (CSP) header instructs user agents to control the data passed to DOM XSS sink functions. [Learn more about mitigating DOM-based XSS with Trusted Types](#) (Unscored)

Description	Severity
No 'Content-Security-Policy' header with Trusted Types directive found	High

GENERAL

☐ Detected JavaScript libraries ^

All front-end JavaScript libraries detected on the page. [Learn more about this JavaScript library detection diagnostic audit](#) (Unscored)

Name	Version
jQuery	3.7.1
Underscore	1.13.8
WordPress	7.0

PASSED AUDITS (13)

Hide

Uses HTTPS



All sites should be protected with HTTPS, even ones that don't handle sensitive data. This includes avoiding [mixed content](#), where some resources are loaded over HTTP despite the initial request being served over HTTPS. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. [Learn more about HTTPS.](#)

Avoids deprecated APIs



Deprecated APIs will eventually be removed from the browser. [Learn more about deprecated APIs.](#)

Avoids third-party cookies



Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions.](#)

Allows users to paste into input fields



Preventing input pasting is a bad practice for the UX, and weakens security by blocking password managers. [Learn more about user-friendly input fields.](#)

Avoids requesting the geolocation permission on page load



Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a user action instead. [Learn more about the geolocation permission.](#)

Avoids requesting the notification permission on page load



Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the request to user gestures instead. [Learn more about responsibly getting permission for notifications.](#)

Displays images with correct aspect ratio



Image display dimensions should match natural aspect ratio. [Learn more about image aspect ratio.](#)

Serves images with appropriate resolution



Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. [Learn how to provide responsive images.](#)

Page has the HTML doctype



Specifying a doctype prevents the browser from switching to quirks-mode. [Learn more about the doctype declaration.](#)

Properly defines charset



A character encoding declaration is required. It can be done with a <meta> tag in the first 1024 bytes of the HTML or in the Content-Type HTTP response header. [Learn more about declaring the character encoding.](#)

No browser errors logged to the console



Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. [Learn more about this errors in console diagnostic audit](#)

No issues in the Issues panel in Chrome Devtools



Issues logged to the Issues panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Page has valid source maps



Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. [Learn more about source maps](#). (Unscored)

URL	Map URL
chrome-extension://hdokiejnpimakedhajhdicegplioahd/web-client-credentials-messenger.js	chrome-extension://hdokiejnpimakedhajhdicegplioahd/web-client-credentials-messenger.js.map
Error: Failed fetching source map (null)	
chrome-extension://hdokiejnpimakedhajhdicegplioahd/web-client-content-script.js	chrome-extension://hdokiejnpimakedhajhdicegplioahd/web-client-content-script.js.map
Error: Failed fetching source map (null)	
chrome-extension://hdokiejnpimakedhajhdicegplioahd/credentials-library.js	chrome-extension://hdokiejnpimakedhajhdicegplioahd/credentials-library.js.map
Error: Failed fetching source map (null)	

NOT APPLICABLE (1)

Hide

☐ Redirects HTTP traffic to HTTPS



Make sure that you redirect all HTTP traffic to HTTPS in order to enable secure web features for all your users. [Learn more](#). (Unscored)



SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on [Core Web Vitals](#). [Learn more about Google Search Essentials](#).

CONTENT BEST PRACTICES

Document does not have a meta description



Meta descriptions may be included in search results to concisely summarize page content. [Learn more about the meta description](#).

Format your HTML in a way that enables crawlers to better understand your app's content.

ADDITIONAL ITEMS TO MANUALLY CHECK (1)

Hide

☐ Structured data is valid



Run the [Structured Data Testing Tool](#) to validate structured data. [Learn more about Structured Data](#). (Unscored)

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (8)

Hide

Page isn't blocked from indexing



Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more about crawler directives.](#)

Document has a `<title>` element



The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles.](#)

Page has successful HTTP status code



Pages with unsuccessful HTTP status codes may not be indexed properly. [Learn more about HTTP status codes.](#)

Links have descriptive text



Descriptive link text helps search engines understand your content. [Learn how to make links more accessible.](#)

Links are crawlable



Search engines may use href attributes on links to crawl websites. Ensure that the href attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn how to make links crawlable](#)

Image elements have `[alt]` attributes



Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute.](#)

Document has a valid `hreflang`



hreflang links tell search engines what version of a page they should list in search results for a given language or region. [Learn more about hreflang.](#)

Document has a valid `rel=canonical`



Canonical links suggest which URL to show in search results. [Learn more about canonical links.](#)

NOT APPLICABLE (1)

Hide

☐ robots.txt is valid



If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt.](#) (Unscored)

■ Captured at May 30, 2026,
11:24 PM GMT+2
■ Initial page load

■ Emulated Moto G Power with
Lighthouse 13.0.2
■ Slow 4G throttling

■ Single page session
■ Using Chromium 148.0.0.0 with
devtools